## Professional 55 litre wet/dry vacuum cleaner with high suction power

The VIPER LSU 255 is a wet/dry professional vacuum cleaner. It is easy to use, robust and has optimal suction power.

LSU product family has a modular design with different tank capacities and motor quantities. Tank capacity for LSU 255 is 55 litres and it has two motors. You can choose stainless steel tank or red plastic tank. You can easily see whether the tank is full of water or not if the tank is made of translucent plastic. It has a drain hose mounted and you can easily empty the tank without taking off the motor. It has large rear wheels and rotating front wheels which makes it light and easy to maneuver. As standard, the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.

- · Easy to use and service
- Optimal suction power
- Robust chassis
- Drain hose
- Large rear wheels and rotating front wheels
- Cable storage & Accessory storage
- For wet or dry vacuum application



Picture shown may not represent model quoted

Standard equipment						
	Included accessories	Ref. no.	Min. required	LSU255P-EU	LSU255-UK	
Nozzle						
×	DRY PICK-UP TOOL	VA80036	1	•	•	
Vac Nozzle Wet						
×	PICK-UP TOOL	VA80853	1	•	٠	
Round Brush Nozzle						
•	DUSTING Ø 38 MM	VA20803	1	•	٠	
Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	
Filter						
8	55L ABSORBING DUST FILTER	VA80119	1	•	•	
Tube						



## Professional 55 litre wet/dry vacuum cleaner with high suction power

Included accessories		Ref. no.	Min. required	LSU255P-EU	LSU255-UK
9	SUCTION TUBE ASSEMBLY	VA80400	1	•	•
7	WAND ASSEMBLY	VA80711	1	•	•
Model	lodel		LSU25	5P-EU	LSU255-UK
Ref. no.			5000	0127	50000128
PRODUCT FE	ATURES				
Recovery empt	Recovery emptying hoses			•	•
Easy-to-carry handle					•
Technical spec	Technical specifications		LSU25	5P-EU	LSU255-UK
Vacuum motor type			2-stage		2-stage
Voltage (V)	Voltage (V)		220-	-240	220-240
Frequency (Hz	Frequency (Hz)		50-	-60	50-60
IP protection cl	lass		х	4	X4
Rated power (V	Rated power (W)			00	2000
Max. airflow (m	1³/h - I/min.)		300/	5000	300/5000
Vacuum (mm H	Vacuum (mm H2O)			50	2250
Sound pressure level (dB(A))			7	8	78
Cable length (n	Cable length (m)			ange	8/orange
Tank capacity	Tank capacity (I)			5	55
Length x width	Length x width x height (cm)			6.6x94.8 6	3.4x58.6x94.8
Weight (kg)			24	.5	24.5

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories		Ref. no.	Min. required	LSU255P-EU	LSU255-UK
Tube					
9	SUCTION TUBE ASSEMBLY	VA80400	1	•	•
7	WAND ASSEMBLY	VA80711	1	•	•
Crevice Nozzle					



## Professional 55 litre wet/dry vacuum cleaner with high suction power

	Accessories	Ref. no.	Min. required	LSU255P-EU	LSU255-UK	
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	
Filter						
9	55L ABSORBING DUST FILTER	VA80119	1	•	•	
$\bigcirc$	FILTER WET LSU	VA81342	1	0	0	
Nozzle						
×	DRY PICK-UP TOOL	VA80036	1	•	•	
Vac Nozzle W	Vac Nozzle Wet					
~	PICK-UP TOOL	VA80853	1	•	•	
Squeegee, Bl	ade, Skirt and Splash Guard					
$\mathbb{N}$	BLADE STRIP 38MM	VA86700	1	0	0	
Round Brush	Nozzle					
	DUSTING Ø 38 MM	VA20803	1	•	•	
Bag						
554	DUST BAG MICROFIBER 50L PACK 10PCS	VA82059-P10	1	0		
Other						
	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	1		0	

